

féline

Colour specials on demand

Collection book 2

FRESCO Collection

Fresco collection is the line of natural wool felts of Féline. Our wool is mulesing free. The unique properties of wool in combination with the trendy colour range make this fabric highly suitable for design applications.



Composition

90% WO/10 % PL

Available thickness	2mm	3mm	4.5mm
Width (cm)	150	150	150
Weight (gr/lm)	420	820	1200
MOQ (lm)	25	30	25

*Colour specials on demand.

Recyclability

All Féline felts are produced with respect to nature. No use of water or drying machines in the felting process.

Wool is a natural, biodegradable and renewable material.

Quality

Wool is durable, naturally fire resistant, moisture repellent, thermal and sound insulating.

Processing Féline fabrics

Féline advises to use experienced installers with knowledge on how to process and handle the fabric. Please note that processing or applying the fabric means that you have accepted the order. Féline will not be able to take any returns or give refunds for fabrics after they have been processed / applied.

Please always pay attention to the face side of the fabric. The face side of our fabrics is always the inner side of the roll.

In case you have any doubts before applying your fabric, than feel free to contact us.

Treatments Féline offers

Féline can support you in the processing of the fabric to suit your application.

Upon request our fabrics are available with multiple backings. Some of our often used backings are:

- Féline self-adhesive felt.
- Féline felt wall covering. Produced using only water-based and biodegradable glue.

Our felt with backing gets cut to a 140cm width.

We can supply Féline Eco Glue Forte for application of your felt (wall covering). This is a water-based, biodegradable glue.

With our in-house production facilities we can support you in a wide range of applications for your fabrics.

Please ask and see what Féline can do for you.

Applications

Walls, ceilings, panels, upholstery and lighting.

Maintenance



Mechanical test

Test	Value	Conform
Martindale	80.000 turns	UNI EN ISO 12947-2
Pilling	4	UNI EN ISO 12945-2
Colourfastness to light	4 5	UNI EN ISO 105 B02
Colourfastness to rubbing	4 5	UNI EN ISO 105 X12
Tear Strenght warp and weft	Pass	UNI EN ISO 13937
Shrinkage to dry cleaning warp and weft	+ / - 1%	

Fire retardancy

Test	Value	Conform
Cigarette test	pass	EN 2021-1
Match test	pass	EN 1021-2
Classe 1 IM	pass	UNI 9175 / 1987
EN 13501-1	C-s1-d0	NF EN ISO 11925-2 A :2013 NF EN 13823 + A1 : 2015

* Indicative test values. Testing requirements always depend on the fabric application.

** Additional FR treatment is possible.

Acoustic values

Test	Value	Conform
Flat lay one-sided absorption <i>*Hung on French Cleat</i> <i>(two-sided absorption will improve acoustic values)</i>	Between 0,15 - 0,20	NEN - EN - ISO 11654
Combined with 70mm framework	0,95	NEN - EN - ISO 11654

* Testing value is subject to the end-application. Please ask for additional information.


Fresco colour range

Please note this is a natural product. Slight colour variations are considered normal.

Fresco Blue 004



Fresco Blue 005



Fresco Blue 006



Fresco Blue 009



Fresco Blue 011




Fresco Blue 008




Fresco Green 005




Fresco Blue 010



Fresco Green 007




Fresco Green 010



Fresco Green 008




Fresco Green 003



Fresco Green 001



Fresco Green 009




Fresco Brown 002



Fresco Brown 003




Fresco Orange 001



Fresco Orange 002



Fresco Red 003



Fresco Red 002



Fresco Purple 005



Fresco Pink 007



MINIMAL ART Collection

Minimal art collection is the line of felts that emphasizes the commitment of Féline to combine interior fabrics with environmental protection. The raw material of this line derives from the recycling of plastic bottles.



Composition	100% recycled PET	
Available thickness	2mm	4mm
Width (cm)	150	150
Weight (gr/lm)	600	1200
MOQ (lm)	35	25

* Colour specials on demand.

Recyclability

All Féline felts are produced with respect to nature. No use of water or drying machines in the felting process.

This material is made from recycled plastic bottles.

Quality

PET is sustainable, easy to process and sound-absorbing.

Processing Féline fabrics

Féline advises to use experienced installers with knowledge on how to process and handle the fabric. Please note that processing or applying the fabric means that you have accepted the order. Féline will not be able to take any returns or give refunds for fabrics after they have been processed/applied.

Please always pay attention to the face side of the fabric. The face side of our fabrics is always the inner side of the roll.

In case you have any doubts before applying your fabric, than feel free to contact us.

Treatments Féline offers

Féline can support you in the processing of the fabric to suit your application.

Upon request our fabrics are available with multiple backings. Some of our often used backings are:

- Féline self-adhesive felt.
- Féline felt wall covering Produced using only water-based and biodegradable glue.

Our felt with backing gets cut to a 140cm width.

We can supply Féline Eco Glue Forte for application of your felt (wall covering). This is a water-based, biodegradable glue.

With our in-house production facilities we can support you in a wide range of applications for your fabrics.

Please ask and see what Féline can do for you.

Applications

Walls, ceilings, panels, upholstery and lighting.

Maintenance



Mechanical test

Test	Value	Conform
Martindale	100.000 turns	ISO 12947-2
Colourfastness to light	6	ISO 105 B02
Colourfastness to rubbing dry and wet	4 5	ISO 105 X12
Tear Strenght warp and weft	Pass	EN 29073-3
Shrinkage to dry cleaning warp and weft	+ / - 1%	

Fire retardancy | FR treatment possible.

Acoustic values

Test	Value	Conform
Flat lay one-sided absorption <i>*Hung on French Cleat (two-sided absorption will improve acoustic values)</i>	Between 0,15 - 0,20	NEN - EN - ISO 11654
Combined with 70mm framework	1,00	NEN - EN - ISO 11654

* Testing value is subject to the end-application. Please ask for additional information.

Minimal art colour range

The raw material of this product derives from the recycling of plastic bottles. Slight colour variations are considered normal.

Minimal art White 002



Minimal art Grey 002




Minimal art Grey 003



Minimal art Grey 004



Minimal art Green 002



Minimal art Green 003



Minimal art Purple 001



Minimal art Pink 002




Minimal art Purple 003



Minimal art Purple 004



Minimal art Pink 001




Minimal art Blue 001



Minimal art Blue 006



Minimal art Blue 007




Minimal art Blue 004




Minimal art Blue 005




Minimal art Orange 001




Minimal art Brown 001




Minimal art Orange 002



Minimal art Red 001



Minimal art Red 002



Jarmuiden 7
1046 AC, Amsterdam
The Netherlands
+31 (0)20 611 60 25
info@felinefabrics.com
www.felinefabrics.com

